

# Safety Data Sheet

# Classified in accordance with SOR/2015-17

# 1. Product Identification

**Product Identifier:** 

**Recommended Use:** 

#### 1000056385

Degreaser Cleaner

Cleaner

Manufacturer/Importer/Supplier Information:

PLZ CORP 8001 KEELE STREET VAUGHAN, ONTARIO L4K1Y8 CA 1-905-669-9855 866-836-8855

Emergency Telephone:

# 2. Hazard(s) identification

#### Classification

Flammable Aerosol, category 1 Aspiration Hazard, category 1 Eye Irritation, category 2A STOT, single exposure, category 3, NE Carcinogenicity, category 2 STOT, repeated exposure, category 2

#### Label elements

### HAZARD PICTOGRAMS



SIGNAL WORD Danger

#### **GHS HAZARD STATEMENTS**

H222	Extremely flammable aerosol.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### GHS PRECAUTIONARY STATEMENTS

Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood



P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe fumes, mists, vapours or spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection, face protection, protective gloves, and protective clothing
Response	
P301+P310+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P337+P313 Storage	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412 <b>Disposal</b>	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

# None

# 3. Composition/Information on Ingredients

#### Mixtures

Chemical Identity	Common Name and Synonyms	CAS Number	Content in Percent (%)*
Acetone		67-64-1	30-60
Distillates (Petroleum), Hydrotreated Light		64742-47-8	10-30
Methyl Acetate		79-20-9	10-30
Xylene		1330-20-7	5-10
Carbon Dioxide		124-38-9	5-10
Ethyl Benzene		100-41-4	1-5
Methanol		67-56-1	0.1-1.0

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

## 4. First-aid Measures

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

**EYE CONTACT:** Rinse immediately with plenty of water. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

**INHALATION:** Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

Other Information



**INGESTION:** Keep the victim calm and warm. Do NOT induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Get immediate medical attention.

**IMPORTANT SYMPTOMS:** Inhalation may cause drowsiness or dizziness. Suspected of causing cancer. Aspiration hazard: Harmful or fatal if swallowed. May cause severe eye irritation. Prolonged or repeated exposure may cause damage to organs.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur. Immediate medical attention is required for ingestion.

# 5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 120°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

# 6. Accidental Release Measures

**PERSONAL PRECAUTIONS :** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:** Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

# 7. Handling and Storage

**HANDLING:** Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**SAFE HANDLING ADVICE:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**STORAGE:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 2

## 8. Exposure Controls/Personal Protection

#### Ingredients with Occupational Exposure Limits

Chemical Name	<u>TLV-TWA</u>	TLV-STEL	PEL-TWA	PEL-CEILING
Acetone	250 ppm	500 ppm	1000 ppm	N.E.
Distillates (Petroleum), Hydrotreated Light	200 mg/m3	N.E.	N.E.	N.E.
Methyl Acetate	200 ppm	250 ppm	200 ppm	N.E.
Xylene	20 ppm	N.E.	100 ppm	N.E.
Carbon Dioxide	5,000 ppm	30000 ppm	5000 ppm	N.E.
Ethyl Benzene	20 ppm	N.E.	100 ppm	N.E.
Methanol	200 ppm	250 ppm	200 ppm	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established



#### ENGINEERING CONTROLS: No data available

#### **Personal Protection**

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: No data available

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

# 9. Physical and Chemical Properties

Appearance:

, pp caranteer	
Physical State:	Liquid
Form:	Spray Aerosol
Color:	Colorless
Odor:	Solvent
Odor Threshold:	No data available
pH:	No data available
Freeze Point, °C:	No data available
Boiling Point, °C:	55
Flash Point, °C:	No data available
Flammability (solid, gas):	No data available
Evaporation Rate:	No data available
Combustibility:	Supports Combustion
Explosive Limits, %:	0.6 - 16.0
Vapor Pressure @20°C, PSI:	80 - 100
Vapor Density:	No data available
Relative Density:	0.898
Solubility in Water:	No data available
Partition Coefficient, n-octanol/water:	No data available
Auto-Ignition Temperature, °C:	No data available
Decomposition temperature, °C:	No data available
Kinematic Viscosity:	No data available

# 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

**CONDITIONS TO AVOID:** Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

**INCOMPATIBILITY:** No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.



# 11. Toxicological Information

#### Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: May cause central nervous system effects with drowsiness and dizziness.

**INGESTION EFFECTS:** Aspiration into the lungs during ingestion or vomiting may cause serious lung damage which may be fatal.

**Carcinogenicity:** contains 1 component (Ethyl Benzene) present at a level greater or equal to 0.1% that have been identified as possible carcinogenic to humans by IARC (Group 2B).

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

ATE ORAL	12,235 mg/kg
ATE DERMAL	4,484 mg/kg
ATE INHALATION	117 mg/kg

#### **Acute Toxicity Values**

#### The acute effects of this product have not been tested. Data on individual components are tabulated below

CAS-No.	<u>Chemical Name</u>	Oral LD50	Dermal LD50	Vapor LC50
67-64-1	Acetone	5,800 mg/kg	7,426 mg/kg	50.1 mg/l
64742-47-8	Distillates (Petroleum), Hydrotreated Light	5,000 mg/kg	5000 mg/kg	>100 mg/l
79-20-9	Methyl Acetate	6,482 mg/kg	2,000 mg/kg	49.2 - 98.4 mg/L Rat
1330-20-7	Xylene	3,523 mg/kg	1,100 mg/kg	11 mg/l
124-38-9	Carbon Dioxide	5000 mg/kg	5000 mg/kg	100 mg/l
100-41-4	Ethyl Benzene	3,500 mg/kg	5,000 mg/kg	11 mg/l
67-56-1	Methanol	100 mg/kg	500 mg/kg	3 mg/l

N.I. = No Information

#### Skin Corrosion & Irritation:

Product:		No data available
Serious Eye Damage & Irritation:		
Product:		No data available
Components:		
Acetone	67-64-1	Causes serious eye irritation.
Methyl Acetate	79-20-9	Causes serious eye irritation.
Respiratory or Skin Sensitization:		
Product:		No data available
STOT-Single Exposure:		
Product:		No data available
Components:		
Acetone	67-64-1	May cause drowsiness or dizziness.
Methyl Acetate	79-20-9	May cause drowsiness or dizziness.



STOT-Repeated Exposure:		
Product:		No data available
Components:		
Ethyl Benzene	100-41-4	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard:		
Product:		No data available
Components:		
Distillates (Petroleum), Hydrotreated Light	64742-47-8	May be fatal if swallowed and enters airways.
Ethyl Benzene	100-41-4	May be fatal if swallowed and enters airways.
Carcinogenicity:		
Product:		No data available
Components:		
Ethyl Benzene	100-41-4	Suspected of causing cancer
Reproductive Toxicity:		
Product:		No data available
Germ Cell Mutagenicity:		
Product:		No data available
12. Ecological Information		

# ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

**BIOACCUMULATE:** No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

# 13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING : Consult with your local, regional and federal agencies for information on proper disposal.

# 14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

#### TDG

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk	N/A
Packing Group:	N/A



#### IATA

UN Number: Proper Shipping Name: Technical Name:	UN1950 AEROSOLS, FLAMMABLE N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	N/A
Packing Group:	N/A
IMDG	
UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	N/A
Packing Group:	N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

# 15. Regulatory Information

## CHEMICAL INVENTORY STATUS:

TSCA	On or in compliance with the inventory
------	--

DSL All ingredients in this product are listed on the DSL or are exempt.

# 16. Other Information

**Revision Date:** 12/19/2023

Datasheet produced by: Regulatory Department

#### Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List



This information is being provided in accordance with the Hazardous Products Regulations (HPR) regulation (SOR/2015-17). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further Information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.