




**THERE'S A REASON THEY**  
— call it “building” —  
**A REPUTATION.**



# Notes



## TABLE OF CONTENTS



Tools at a Glance .....	P 4
Cordless Impulse TimberShot Framing Nailer .....	P 8
CFN325IM Cordless 30 Degree Impulse Framing Nailer (Discontinued - See TimberShot).....	P 10
Cordless 1-1/2" Positive Placement® Metal Connector Nailer .....	P 12
PowerMaster Plus Framing Nailser.....	P 13
Compact Framing Nailer .....	P 14
SCS200 16 Gauge Standard 1/2" Crown Stapler .....	P 16
WCS200 16 Gauge Wide 15/16" Crown Stapler .....	P 17
IMLi200 18 Gauge Brad Nailer .....	P 18
IMLi200 18 Gauge Short Mag Brad Nailer .....	P 19
IMLi250 16 Gauge Finish Nailer .....	P 20
16 Gauge Straight Finish Nailer.....	P 21
18 Gauge Brad Nailer .....	P 23
18 Gauge Brad Nailer/Stapler .....	P 24
18 Gauge Narrow Soffit Stapler.....	P 26
18 Gauge Narrow Crown Finisher Stapler.....	P 27
US-100 Upholstery/Craft Stapler.....	P 28
HP-100 Headless Pin Nailer.....	P 29

CORDLESS FRAMING



(see page P 8 for more details)

**CORDLESS IMPULSE TIMBERSHOT FRAMING NAILER**

Drive up to 1500 nails per fuel cell  
Check your battery and fuel levels at a glance with tool indicators  
Power without the bulky weight  
Built to last with an extended service life  
Durable—Proven to drive 200,000 nails without failure

**PART #:** 906950

**DESCRIPTION**

Weight: 7.7 lbs  
Height: 15.6"  
Length: 12.6"  
Width: 4.5"  
Nail Capacity: 1 strip  
Range: 2" – 3-1/4"  
Shank: .113 - .131  
Speed: 3 nails per second

**APPLICATIONS**

FRAMING, JOISTS,  
RAFTERS, SOFFITS, STAIRS,  
SHEATHING, CRATING,  
FENCES AND DECKS

*DESIGNED FOR:  
FRAMERS & RENOVATORS*



(see page P 10 for more details)

**CORDLESS 30 DEGREE IMPULSE FRAMING NAILER**

Drive up to 1200 nails per fuel cell  
Drive up to 9000 nails per battery charge  
Faster Nail loading with bypass follower  
Tool-free Adjustable Depth of Drive  
Longer Fan Run Time,  
2 sided rubber grip to provide added comfort and control

**PART #:** 906450

Weight: 7.2 lbs  
Height: 14-1/2"  
Length: 12"  
Width: 4"  
Nail Capacity: 1 strip  
Range: 2" – 3-1/4"  
Shank: .113 - .131  
Speed: 3 nails per second

FRAMING, JOISTS,  
RAFTERS, SOFFITS, STAIRS,  
SHEATHING, CRATING,  
FENCES AND DECKS

*DESIGNED FOR:  
FRAMERS & RENOVATORS*

**DISCONTINUED - SEE CORDLESS IMPULSE TIMBERSHOT FRAMING NAILER**

CORDLESS NAILER



(see page P 12 for more details)

**CORDLESS 1-1/2" POSITIVE PLACEMENT® METAL CONNECTOR NAILER**

Drive up to 800 nails per fuel cell  
Drive up to 9000 nails per battery charge  
Nose Probe – locates hole and guides nail for maximum accuracy  
Tool Free Adjustable Depth of Drive – quickly get the right nail depth

**PART #:** 906250

Weight: 6.7 lbs  
Height: 13"  
Length: 11.7"  
Width: 3.7"  
Fastner Length: 1-1/2"

JOIST HANGERS, METAL  
CONNECTORS, HURRICANE  
TIES, STRAP BRACING

*DESIGNED FOR:  
FRAMERS*

	TOOL	DESCRIPTION	APPLICATIONS	
<b>PNEUMATIC STRIP FRAMING NAILERS</b>	 (see page P 13 for more details)	<b>F350-S POWER MASTER+™</b> Durable construction requires less maintenance. Proven performer for tough job site work with less jams or misfires Powerful. Enduring. Reliable.	Weight: 8.4 lbs Height: 13-3/10" Length: 18" Nail Capacity: (2 strips) 84 Range: 2" – 3-1/2" Shank: .113 - .131	FRAMING, JOISTS, RAFTERS, SOFFITS, STAIRS, SHEATHING, CRATING, FENCES AND DECKS  <b>DESIGNED FOR:                      PROFESSIONAL FRAMERS</b>
	<b>PART #:</b> 501000			
<b>PNEUMATIC STRIP FRAMING NAILERS</b>	 (see page P 14 for more details)	<b>F325R COMPACT FRAMER™</b> Lightest-framing nailer ever (Only 5.9 lbs) Smallest Framing Nailer Ever (Only 12' long) Remodel interiors easier Compact. Lightweight	Weight: 5.9 lbs Height: 12-9/10" Length: 12-3/10" Range: 2" – 3-1/4" Shank: .113 - .131 Magazine Capacity: 44	FRAMING, JOISTS, RAFTERS, SOFFITS, STAIRS, SHEATHING, CRATING, FENCES AND DECKS  <b>DESIGNED FOR:                      PROFESSIONAL RENOVATORS</b>
	<b>PART #:</b> 513000			
<b>FRAMING STAPLERS</b>	 (see page P 16 for more details)	<b>SCS200 16GA. STANDARD 1/2" CROWN STAPLER</b> Heavy-duty all metal magazine design for increased durability	Weight: 5.6 lbs Height: 11.7" Length: 15.1" Staple Capacity: 150 Range: 3/4" – 2" Staple Type: 1/2" crown	ROOF DECKING, SOFFITS AND FASCIA BOARDS, SHEATHING
	<b>PART #:</b> 515700			
<b>FRAMING STAPLERS</b>	 (see page P 17 for more details)	<b>WCS200 16GA. WIDE 15/16" CROWN STAPLER</b> Drives staples flush in all materials	Weight: 5.9 lbs Height: 11.7" Length: 15.1" Staple Capacity: 150 Range: 3/4" – 2" Staple Type: 15/16" Crown	SOFFITS AND FASCIA BOARDS, SUBFLOOR, SHEATHING, CRATES AND PALLETS
	<b>PART #:</b> 515800			
<b>CORDLESS TRIM NAILERS</b>	 (see page P 18 for more details)	<b>IMLi200 – 18GA. BRAD NAILER</b> Drive 1200 nails per fuel cell Drive 12,000 nails per battery charge Proven for over 25 years Durable. Lightweight. Balanced.	Weight: 4.5 lbs Height: 11-1/2" Length: 11" Nail Capacity: 100 Range: 3/4" - 2" Shank: 18 Gauge	CROWN, BASEBOARD MOULDINGS, PANELLING AND CARPENTRY
<b>PART #:</b> 903700				

**CORDLESS TRIM NAILERS**



(see page P 19 for more details)

**TOOL**

**IMLI200 18 GA.  
SHORT MAG BRAD NAILER**  
Drive 1200 nails per fuel cell  
Drive 12,000 nails per battery charge  
Proven for over 25 years  
Durable. Lightweight. Balanced.

**DESCRIPTION**

Weight: 4.25 lbs  
Height: 11-1/2"  
Length: 11"  
Nail Capacity: 70  
Range: 5/8" – 2"  
Shank: 18 Gauge

**APPLICATIONS**

**CROWN,  
BASEBOARD MOULDINGS,  
PANELLING  
AND CARPENTRY**

**PART #:** 918150



(see page P 20 for more details)

**IMLi250 16GA.  
STRAIGHT FINISH NAILER**  
Drive 1200 nails per fuel cell  
Drive 12,000 nails per battery charge  
Proven for over 25 years  
Durable. Lightweight. Balanced.

Weight: 4.6 lbs  
Height: 11-3/4"  
Length: 10-1/2"  
Nail Capacity: 100  
Range: 1-1/4" – 2-1/2"  
Shank: 16 ga. Straight

**DOOR AND WINDOW TRIM,  
CASING, CROWN AND  
BASEBOARD MOULDING**

**PART #:** 903800

**PNEUMATIC TRIM NAILERS**



(see page P 21 for more details)

**T250S F16P - 16GA.  
STRAIGHT FINISH NAILER**  
Best in class ergonomics  
Reliable and Durable  
Low Maintenance

Weight: 3.90 lbs  
Height: 11.6"  
Length: 12.3"  
Nail Capacity: 100 (2 strips)  
Range: 1" – 2-1/2"  
Nail Type: 16 Ga.  
(Smooth/Galvanized)

**RESIDENTIAL:  
WINDOW AND DOOR  
TRIM/FINISH APPLICATIONS,  
CARPENTRY, AND PANELLING**

**PART #:** 515500



(see page P 23 for more details)

**P18-200 18 GA.  
BRAD NAILER**  
Lightweight and well balanced  
No mar tip  
Easy to access corners

Weight: 2.9 lbs.  
Height: 9-1/2"  
Length: 10-1/4"  
Nail Capacity: 100  
Range: 5/8" – 2"  
Nail Type: 18 ga. –  
Smooth, Galvanized  
Type: 18 ga.

**WINDOWS, DOORS,  
FURNITURE, TRIM  
APPLICATIONS**

**PART #:** P18-200



(see page P 24 for more details)

**P18-FS200 18 GA.  
BRAD NAILER/STAPLER**  
Lightweight and well balanced  
No mar tip  
Easy to access corners

Weight: 2.9 lbs.  
Height: 9-1/2"  
Length: 10-1/4"  
Nail Capacity: 100  
Range: 5/8" – 2" brad nails  
and 5/8" – 1-1/2" staples  
(3/16" crown)  
Type: 18 ga. & 3/16

**WINDOWS, DOORS,  
FURNITURE, TRIM  
APPLICATIONS**

**PART #:** P18-FS200

	TOOL	DESCRIPTION	APPLICATIONS
18 GAUGE STAPLERS	 <p>(see page P 26 for more details)</p>	<p><b>N18-125 – 1-1/4" NARROW SOFFIT STAPLER</b> Specifically designed for soffit installation with long narrow nosepiece for tight spots.</p> <p><b>PART #:</b> N18-125</p>	<p>Weight: 2.5 lbs. Height: 9" Length: 9-1/4" Staple Capacity: 100 Range: 3/4" – 1 1/4" Staple Type: 3/16" crown GSN18</p> <p>TRIM/FINISH, PLYWOOD, SOFFITS/FACIAS, UNDERLAYMENT APPLICATIONS</p>
	 <p>(see page P 27 for more details)</p>	<p><b>N18 150 – 1-1/2" NARROW CROWN FINISH STAPLER</b> Heavy Duty for long life 4000 Shots per batt. charge</p> <p><b>PART #:</b> N18-150</p>	<p>Weight: 2.8 lbs. Height: 9-3/4" Length: 11-1/2" Staple Capacity: 100 Range: 3/4" – 1 1/2" Staple Type: 3/16" crown GSN18</p> <p>TRIM/FINISH, PLYWOOD, SOFFITS/FACIAS, UNDERLAYMENT APPLICATIONS</p>
LITE GAUGE FASTENING STAPLERS	 <p>(see page P 28 for more details)</p>	<p><b>US-100 – UPHOLSTERY/ CRAFT STAPLER</b> Easy load magazine 5 Staples/second</p> <p><b>PART #:</b> US-100</p>	<p>Weight: 2.00 lbs. Height: 9-1/2" Length: 12-1/2" Staple Capacity: 100 Range: 3/8" – 9/16" Staple Type: 22 ga. Upholstery</p> <p>UPHOLSTERY, CRAFTS, LIGHT PANELING AND HOME PROJECT APPLICATIONS</p>
	 <p>(see page P 29 for more details)</p>	<p><b>23GA HEADLESS PIN NAILER</b> Lightweight and compact No mar tip and nail lock out</p> <p><b>PART #:</b> HP100</p>	<p>Weight: 1.20 lbs. Height: 9-1/4" Length: 7-3/4" Staple Capacity: 100 Range: 1/2" – 1-1/2" Staple Type: 23 ga.</p> <p>FINE WOODWORKING AND TRIM WORK</p>

# Cordless Impulse TimberShot Framing Nailer

Designed for the Pro. Engineered for the North 



## DESCRIPTION/SUGGESTED SPECIFICATIONS

### Cordless Impulse TimberShot Framing Nailer—

**IT'S MORE THAN A NAILER, IT'S A NAILING SYSTEM THAT GETS THE JOB DONE RIGHT.**

The Paslode Impulse TimberShot cordless framing nailer is engineered for Canada. TimberShot delivers more power, better balance, and consistent performance for year-round framing. Paslode's fuel and battery technology enables best-in-class weight and balance (up to 30% lighter than battery only tools) and tool reliability (up to 3x less service visits).

*Please note:* Works only with the new Paslode TimberShot Framing Fuel

<p><b>LIGHTWEIGHT</b></p> 	<p><b>QUICK LOADING</b></p> 	<p><b>EASY ACCESS</b></p> 
---	--	---

## ADVANTAGES

- Cold Canadian winters? No problem. TimberShot's electronic controlled fuel dosage means it fires more reliably in hot and cold conditions.
- Check your battery and fuel levels at a glance with tool indicators
- Drives 8-times more nails per battery charge than battery only tools
- Paired with our new TimberShot fuel, the tool delivers up to 40% more shots
- Frame with more comfort and speed with cordless Paslode: TimberShot is light, better balanced, and ergonomically designed to move with you
- Power without the bulky weight – TimberShot has increased power to drive more reliably into LVL/LSL
- Built to last with an extended service life - so you spend less time at the repair shop and more time on the jobsite.
- Durable--Proven to drive 200,000 nails without failure

## SPECIFICATIONS

**Part No. 906950**

Weight: 7.7 lbs

Height: 15.6"

Length: 12.6"

Width: 4.5"

Speed: 3 nails per second

Nail Capacity: 1 strip

Range: 2" – 3-1/4"

Shank: .113 – .131

Nail Angle: 30°

Fuel Type: Spare Framing Fuel

Nails per Fuel Cell: Approximately 1500

Fuel life: 21 months from date of manufacture

Battery Life: 9000 nails per charge

**ONE-YEAR LIMITED WARRANTY** A one-year warranty will apply to all parts, except those listed below as normal wearing parts, or parts-which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all molded nylon parts: • Motor Housing, Cap and Grille • Trigger • Handle Halves and Actuator • Magazine Parts

**90-DAY LIMITED WARRANTY** A 90-day warranty applies to the following parts, which are considered normal wearing parts: • Bumper • O-Rings • Driver Blades • Seal Rings

For full warranty details, visit <https://paslode.ca/warranty/>

## INCLUDES

- Cordless Impulse TimberShot Framing Nailer
- Rechargeable 7.4V Li-ion battery
- Li-ion battery charger
- Rugged carrying case
- Owner's manual
- Safety glasses
- 5/32" Hex Wrench

# Cordless Impulse TimberShot Framing Nailer

## SELECTION CHART

### Pro-Strip RoundDrive Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	HEAD STYLE	COATING	PRODUCT NUMBER	NAILS PER PACK	QUANTITY PER MASTER	QUANTITY PER SKID
<b>COATING TYPE: BRITE</b>								
2"	0.113	Smooth	Roundrive	Brite	097385	6,500	1	80
2"	0.113	Ring	Roundrive	Brite	650273	5,500	1	80
2-3/8"	0.113	Smooth	Roundrive	Brite	50238	5 Strips	10	-
2-3/8"	0.113	Smooth	Roundrive	Brite	404238	1,000	4	-
2-3/8"	0.113	Smooth	Roundrive	Brite	097394	5,000	1	96
2-3/8"	0.113	Ring	Roundrive	Brite	097397	5,000	1	96
3"	0.120	Smooth	Roundrive	Brite	097971	3,000	1	96
3"	0.120	Ring	Roundrive	Brite	097973	3,000	1	96
3-1/4"	0.120	Smooth	Roundrive	Brite	50314	5 Strips	1	125
3-1/4"	0.120	Smooth	Roundrive	Brite	404314	1,000	4	-
3-1/4"	0.120	Smooth	Roundrive	Brite	404058	3,000	1	96
3-1/4"	0.131	Smooth	Roundrive	Brite	650839	2,500	1	96
3-1/2"	0.120	Smooth	Roundrive	Brite	404855	2,500	1	96
3-1/2"	0.131	Smooth	Roundrive	Brite	097987	2,500	1	96
<b>COATING TYPE: HOT DIPPED</b>								
2"	0.113	Ring	Offset Oval	Hot Dipped	403389	2,500	1	150
2-3/8"	0.113	Ring	Offset Oval	Hot Dipped	404856	2,500	1	150
3"	0.120	Ring	Offset Oval	Hot Dipped	404857	1,500	1	150
3 1/4"	0.120	Ring	Offset Oval	Hot Dipped	50314G	5 Strips	6	-
3-1/4"	0.120	Ring	Offset Oval	Hot Dipped	404858	1,500	1	150

### Pro-Strip RoundDrive Fuel/Nail Packs

LENGTH	SHANK DIAMETER	SHANK TYPE	HEAD STYLE	COATING	PRODUCT NUMBER	NAILS PER PACK	FUEL CELLS PER PACK
2-3/8"	0.113	Smooth	Roundrive	Brite	TS3238FN	2,600	2
3-1/4"	0.120	Smooth	Roundrive	Brite	TS3325FN	2,600	2

See Page P 16 for additional framing nails that work with this tool.

1. ICC ESR-1539 applies to all of our framing nails except for Part#650839 which falls under ICC ESR-3072.
2. HDG Nails are approved to be used in ACQ & MCQ treated lumber as per ASTM A641 & IRC R317.3
3. Paslode Nails meet ASTM 1667 standards

## APPLICATIONS



Framing  
Joists and rafters  
Soffits  
Stairs  
Sheathing  
Crating  
Fences and decks

## TOOL ACCESSORIES



Part No. 902911  
Paslode TimberShot  
Framing Fuel



Part No. 902654C  
Li Ion Battery



Part No. 902667C  
Lithium Battery Charger



Part No. 901252  
Cordless No mar tip



Part No. 401482  
Impulse Oil



Part No. 219086  
Degreaser

# CFN325IM Cordless 30 Degree Impulse Framing Nailer

*Fuel powered  
performance to  
keep your  
jobsties going*



## INCLUDES

- Cordless Li-ion Framing Nailer, Model CFN325IM
- Rechargeable 7.4V Li-ion battery
- Li-ion battery charger
- Rugged carrying case
- Owner's manual
- Safety glasses
- 5/32" Hex Wrench

**DISCONTINUED - SEE CORDLESS IMPULSE  
TIMBERSHOT FRAMING NAILER**

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### *Cordless Impulse Framing Nailer—*

**IT'S MORE THAN A NAILER, IT'S A NAILING SYSTEM THAT GETS THE JOB DONE RIGHT.**

The Paslode Lithium Ion cordless Impulse nailer has provided framers and renovators the ability to wood frame without air hoses for over 30 years. The Li-ion battery technology drives up to 200 nails and 2 minutes quick drive. Tool free adjustable depth of drive adjustment, 2 sided rubber grip to provide added comfort and control and a rear load magazine allowing for faster nail loading with bypass follower.

#### LIGHTWEIGHT



#### QUICK LOADING



#### EASY ACCESS



## ADVANTAGES

- REAR LOAD MAGAZINE Faster nail loading with Bypass Follower - just load nails and pull
- TOOL-FREE ADJUSTABLE DEPTH OF DRIVE
- 2-SIDED RUBBER GRIP Added comfort and control with improved ergonomics and maneuverability
- LONGER FAN RUN TIME Improved cooling provides greater productivity
- Li-ion battery – provides 50% longer run time (drives up to 9,000 nails per charge) than NiCd battery
- 1-hour Full Charge; 2-minute Quick Charge for Up to 200 shots
- Lightweight – 7.2 lbs. including battery for better comfort and control
- Works in cold temperature down to -15°C

## SPECIFICATIONS

**Part No. 906450**

Weight: 7.2 lbs

Height: 14-1/2"

Length: 12"

Width: 4"

Speed: 3 nails per second

Nail Capacity: 1 strip

Range: 2" – 3-1/4"

Shank: .113 – .131

Nail Angle: 30°

Fuel Type: Spare Framing Fuel

Nails per Fuel Cell: Approximately 1200

Fuel life: 21 months from date of manufacture

Battery Life: 9000 nails per charge

**ONE-YEAR LIMITED WARRANTY** A one-year warranty will apply to all parts, except those listed below as normal wearing parts, or parts which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all molded nylon parts: • Motor Housing, Cap and Grille • Trigger • Handle Halves and Actuator • Magazine Parts

**90-DAY LIMITED WARRANTY** A 90-day warranty applies to the following parts, which are considered normal wearing parts: • Bumper • O-Rings • Driver Blades • Seal Rings

For full warranty details, visit <https://paslode.ca/warranty/>

## SELECTION CHART

### Pro-Strip RoundDrive Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	HEAD STYLE	COATING	PRODUCT NUMBER	NAILS PER PACK	QUANTITY PER MASTER	QUANTITY PER SKID
<b>COATING TYPE: BRITE</b>								
2"	0.113	Smooth	Roundrive	Brite	097385	6,500	1	80
2"	0.113	Ring	Roundrive	Brite	650273	5,500	1	80
2-3/8"	0.113	Smooth	Roundrive	Brite	50238	5 Strips	10	-
2-3/8"	0.113	Smooth	Roundrive	Brite	404238	1,000	4	-
2-3/8"	0.113	Smooth	Roundrive	Brite	097394	5,000	1	96
2-3/8"	0.113	Ring	Roundrive	Brite	097397	5,000	1	96
3"	0.120	Smooth	Roundrive	Brite	097971	3,000	1	96
3"	0.120	Ring	Roundrive	Brite	097973	3,000	1	96
3-1/4"	0.120	Smooth	Roundrive	Brite	50314	5 Strips	1	125
3-1/4"	0.120	Smooth	Roundrive	Brite	404314	1,000	4	-
3-1/4"	0.120	Smooth	Roundrive	Brite	404058	3,000	1	96
3-1/4"	0.131	Smooth	Roundrive	Brite	650839	2,500	1	96
3-1/2"	0.120	Smooth	Roundrive	Brite	404855	2,500	1	96
3-1/2"	0.131	Smooth	Roundrive	Brite	097987	2,500	1	96
<b>COATING TYPE: HOT DIPPED</b>								
2"	0.113	Ring	Offset Oval	Hot Dipped	403389	2,500	1	150
2-3/8"	0.113	Ring	Offset Oval	Hot Dipped	404856	2,500	1	150
3"	0.120	Ring	Offset Oval	Hot Dipped	404857	1,500	1	150
3 1/4"	0.120	Ring	Offset Oval	Hot Dipped	50314G	5 Strips	6	-
3-1/4"	0.120	Ring	Offset Oval	Hot Dipped	404858	1,500	1	150

### Pro-Strip RoundDrive Fuel/Nail Packs

LENGTH	SHANK DIAMETER	SHANK TYPE	HEAD STYLE	COATING	PRODUCT NUMBER	NAILS PER PACK	FUEL CELLS PER PACK
2-3/8"	0.113	Smooth	Roundrive	Brite	1238FN	1,000	1
2-3/8"	0.113	Smooth	Roundrive	Brite	3238FN	3,000	3
3"	0.120	Smooth	Roundrive	Brite	3300FN	3,000	3
3-1/4"	0.120	Smooth	Roundrive	Brite	1325FN	1,000	1
3-1/4"	0.120	Smooth	Roundrive	Brite	3325FN	3,000	3

See Page P 16 for additional framing nails that work with this tool.

1. ICC ESR-1539 applies to all of our framing nails except for Part#650839 which falls under ICC ESR-3072.
2. HDG Nails are approved to be used in ACQ & MCQ treated lumber as per ASTM A641 & IRC R317.3
3. Paslode Nails meet ASTM 1667 standards

## APPLICATIONS



Framing  
Joists and rafters  
Soffits  
Stairs  
Sheathing  
Crating  
Fences and decks

## TOOL ACCESSORIES



Part No. 902513  
All Season Orange Fuel Cell



Part No. 902654C  
Li Ion Battery



Part No. 902667C  
Lithium Battery Charger



Part No. 901252  
Cordless No mar tip



Part No. 401482  
Impulse Oil



Part No. 219086  
Degreaser



# Cordless 1-1/2" Positive Placement® Nailer

*Fuel powered  
and cordless to  
improve jobsite  
maneuverability*



## INCLUDES

- Cordless Positive Placement Nailer
- Rechargeable 7.4V Li-ion battery
- Li-ion battery charger
- Rugged carrying case
- Owner's manual
- Safety glasses
- 5/32" Hex Wrench

## TOOL ACCESSORIES

- Part No. 918021 PPN Fuel Cell
- Part No. 902654C Li-ion Battery
- Part No. 902667C Li-ion Battery Charger

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### Cordless Metal Connector Nailer—

The Positive Placement Nailer saves time and reduces fatigue caused by hand hammering and handling pneumatic tools on site. The PPN tool is suitable for a variety of applications, including Joist Hangers, I-Joist Hangers, Triple grips, Multigrips, Strap bracing and other metal connectors

#### LIGHTWEIGHT



#### ACCURATE



#### EASY ACCESS



## ADVANTAGES

- Weighs only 6.7lbs
- Drives 800 nails on a full fuel cell
- Reduce jams and misfires by using genuine Paslode nails
- Nose Probe – locates hole and guides nail for maximum accuracy
- Bypass Follower – fast and easy loading
- Tool Free Adjustable Depth of Drive – quickly get the right nail depth
- Long Fan Run Time – mixes air with fuel and provides cooling for greater productivity
- Compact Design – easily gets into tight spots
- Ergonomic Handle – for greater comfort

## SELECTION CHART

### Positive Placement Fuel/Nail Packs

LENGTH	SHANK DIAMETER	COATING	PRODUCT NUMBER	NAILS PER PACK	FUEL CELL PER PACK
1-1/2"	.148	Galvanized	650924C	800	1
1-1/2"	.148	Brite	650936C	1,600	2

## APPLICATIONS



- Joist Hangers
- I-Joist Hangers
- Triple grips
- Multigrips,
- trap bracing and other metal connectors

## SPECIFICATIONS

Part No. 906250

WEIGHT: 6.7 lbs.

HEIGHT: 13"

LENGTH: 11.7"

WIDTH: 3.7"

MAGAZINE CAPACITY: 1 Strip (25 nails)

FASTENER LENGTH: 1-1/2"

NAIL TYPE: Brite Heat Treated and Mechanically Galvanized - Metal Connector Nails  
FUEL TYPE: Positive Placement Fuel

NAILS PER FUEL CELL: Up to 800

FUEL LIFE: 27 months (check date on bottom of fuel cell)

BATTERY LIFE: Up to 9000 nails per charge

**ONE-YEAR LIMITED WARRANTY** A one-year warranty will apply to all parts, except those listed below as normal wearing parts, or parts which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all molded nylon parts:

•Motor Housing, Cap and Grille •Trigger •Handle Halves and Actuator •Magazine Parts

**90-DAY LIMITED WARRANTY** A 90-day warranty applies to the following parts, which are considered normal wearing parts: •Bumper •O-Rings •Driver Blades •Seal Rings

For full warranty details, visit <https://paslode.ca/warranty/>



# PF-350S PowerMaster Plus Framing Nailer

*Durability,  
Balance and  
Versatility  
for all jobs*



SEE PAGE P 15 FOR  
FRAMING NAILS SELECTION CHART

## INCLUDES

- PowerMaster™ Plus Pneumatic Framing Nailer
- Bump fire trigger
- Hex wrench (on tool)
- Safety glasses
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### PowerMaster Plus Framing Nailer—

#### DESIGNED FOR PROFESSIONAL FRAMERS

Heavy-duty jobs require a heavy-duty nailer. That's why the pros turn to the proven performance, durability and driving power, only a Paslode pneumatic framing nailer can provide. When used with Paslode nails, this nailing system can help you drive jobs home on time, every time.

POWERFUL



FAST



DEPENDABLE



## ADVANTAGES

- Frame full walls faster. Heavy duty power.
- Reliable performance that saves time with less maintenance.
  - Durable construction requires less maintenance.
  - Proven performer for tough job site work with less jams or misfires
  - Compact size fits between 16" o.c. studs, joists and rafters.
- Soft grip handle for comfort
- Bolt-on end plug for easier service
- Depth of drive on the tool rather than the compressor saves time and energy
- Rafter hook, moves out of the way when not in need
- Adjustable air deflector cap

## APPLICATIONS



- |                    |                  |
|--------------------|------------------|
| Framing            | Sheathing        |
| Joists and rafters | Crating          |
| Soffits            | Fences and decks |
| Stairs             |                  |

## SPECIFICATIONS

Part No. 501000

- Weight: 8.4 lbs
- Height: 13-3/10"
- Length: 18"
- Speed: 12 nails per second\*, sequential or selectable operation
- Nail Capacity: 2 strips (up to 84)
- Nail Range: 2" – 3.5" in length, .113" – .131" shank diameters
- Nail Angle: 30°

- Nail Type: Paslode RounDrive® Offset Full Head
- Air Req./100p.s.i. (6.9 bar): .082/cycle
- Op. Pres. p.s.i (bar): 80 – 120 (5.5 – 8.3)
- Warranty: 90-day limited on wear parts, 1-year limited on magazine parts, 5-year limited on housing and cap parts
- For full warranty details, visit <https://paslode.ca/warranty/>

# F325R Compact Framing Nailer

Lightest weight  
framer ever



SEE PAGE P 15 FOR  
FRAMING NAILS SELECTION CHART

## INCLUDES

- Compact 30° Framing Nailer
- Safety glasses
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### Compact Framing Nailer—

#### DESIGNED FOR RENOVATORS

With this nailing system, you'll have any interior remodeling job done in no time. Get the access and maneuverability you need in tight spaces with this lightweight yet powerful pneumatic nailing system. When used with Paslode nails, this nailing system can help you drive jobs home on time, every time.

#### PROFESSIONAL



#### LIGHTWEIGHT



#### EASY ACCESS



## ADVANTAGES

- Remodel interiors easier. Lightest weight framer ever.
  - Remodel Interiors Easier
  - First pneumatic nailer made especially with remodeler's needs in mind
  - Fits easily into the tightest spaces such as between 16" o.c. studs
- Great maneuverability to work comfortably overhead
- Lightest-framing nailer ever made: 5.9 lbs
- Quick 2-step nail strip reload
- Soft grip handle for comfort
- Works in bump mode for speed on jobsite

## APPLICATIONS



- |                    |                  |
|--------------------|------------------|
| Framing            | Sheathing        |
| Joists and rafters | Crating          |
| Soffits            | Fences and decks |
| Stairs             |                  |

## SPECIFICATIONS

Part No. 513000

Weight: 5.9 Pounds

Height: 12-9/10"

Width: 4-3/10"

Length: 12-3/10"

Fastener Range: 2" – 3 1/4"

Shank: .113 - .131

Magazine Capacity: 44

Op. Pres. p.s.i (bar): 90 – 120

For full warranty details, visit  
<https://paslode.ca/warranty/>

## SELECTION CHART

### Pro-Strip RoundDrive Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	HEAD STYLE	COATING	PRODUCT NUMBER	NAILS PER PACK	QUANTITY PER MASTER	QUANTITY PER SKID
<b>COATING TYPE: BRITE</b>								
2"	0.113	Smooth	Roundrive	Brite	097385	6,500	1	80
2"	0.113	Ring	Roundrive	Brite	650273	5,500	1	80
2-3/8"	0.113	Smooth	Roundrive	Brite	50238	5 Strips	10	-
2-3/8"	0.113	Smooth	Roundrive	Brite	404238	1,000	4	-
2-3/8"	0.113	Smooth	Roundrive	Brite	097394	5,000	1	96
2-3/8"	0.113	Ring	Roundrive	Brite	097397	5,000	1	96
3"	0.120	Smooth	Roundrive	Brite	097971	3,000	1	96
3"	0.120	Ring	Roundrive	Brite	097973	3,000	1	96
3-1/4"	0.120	Smooth	Roundrive	Brite	50314	5 Strips	1	125
3-1/4"	0.120	Smooth	Roundrive	Brite	404314	1,000	4	-
3-1/4"	0.120	Smooth	Roundrive	Brite	404058	3,000	1	96
3-1/4"	0.131	Smooth	Roundrive	Brite	650839	2,500	1	96
3-1/2"	0.120	Smooth	Roundrive	Brite	404855	2,500	1	96
3-1/2"	0.131	Smooth	Roundrive	Brite	097987	2,500	1	96
<b>COATING TYPE: HOT DIPPED</b>								
2"	0.113	Ring	Offset Oval	Hot Dipped	403389	2,500	1	150
2-3/8"	0.113	Ring	Offset Oval	Hot Dipped	404856	2,500	1	150
3"	0.120	Ring	Offset Oval	Hot Dipped	404857	1,500	1	150
3-1/4"	0.120	Ring	Offset Oval	Hot Dipped	50314G	5 Strips	6	-
3-1/4"	0.120	Ring	Offset Oval	Hot Dipped	404858	1,500	1	150



Also works with Cordless Impulse Framing Nailer (see page P 11)

1. ICC ESR-1539 applies to all of our framing nails except for Part#650839 which falls under ICC ESR-3072.
2. HDG Nails are approved to be used in ACQ & MCQ treated lumber as per ASTM A641 & IRC R317.3
3. Paslode Nails meet ASTM 1667 standards

### PRO-STRIP ROUNDRIE NAILS FOR USE WITH



POWERMASTER PLUS



COMPACT FRAMER



CORDLESS IMPULSE XP  
FRAMING NAILER



# SCS200 16 Ga. Standard 1/2" Crown Stapler

Heavy-duty all metal magazine design for increased durability



## INCLUDES

- SCS200 Crown Stapler
- Pneumatic Lubricating Oil
- Safety glasses
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### SCS200 16Ga. Standard 1/2" Crown Stapler

WITH THE RIGHT STAPLER AND STAPLES, YOU'LL HAVE THE JOB DONE IN NO TIME.

The new Paslode 16ga standard crown stapler is built for professional framers with speed and power that will increase jobsite productivity by allowing you to work quickly, never having to pull out your hammer to finish off staples. this durable stapler will hold up to any jobsite conditions or high volume industrial usage..

POWERFUL



FAST



DEPENDABLE



## ADVANTAGES

- Lightweight: Only 5.6 lbs
- Staple Capacity: Up to 150 staples
- Quick-Clear Nose: For easy jam clearance
- Staple Range: 3/4" – 2"
- Quick Release Follower Tab: Makes reloading fast

## SELECTION CHART

### 16 Gauge Standard Crown Staples

LENGTH	CROWN SIZE	STAPLE POINT	GAUGE	COATING	PRODUCT NUMBER	STAPLES PER PACK
1"	1/2"	Chisel	16	Galvanized	OT5242	16,500
1-1/4"	1/2"	Chisel	16	Galvanized	OT5238	13,500
1-1/2"	1/2"	Chisel	16	Galvanized	OT2695	10,500
1-3/4"	1/2"	Chisel	16	Galvanized	OT2250	9,000
2"	1/2"	Chisel	16	Galvanized	OT2258	7,500

## APPLICATIONS



- Roof Decking
- Soffits and Fascia Boards
- Sheathing

## SPECIFICATIONS

Part No. 515700

Weight: 5.6 lbs

Height: 11.7"

Width: 3/4"

Length: 15.1"

Op. Pres. 80 to 120 p.s.i. (5.5 to 8.3 bars)

Staple Length: 3/4" – 2"

Staple Diameter: 16 gauge

**ONE-YEAR FULL WARRANTY** A one-year warranty will apply to all parts, except those which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all housing and cap assembly castings.

For full warranty details, visit <https://paslode.ca/warranty/>



# WCS200 16 Ga. Wide 15/16" Crown Stapler

*Drives staples flush  
in all materials*



## INCLUDES

- WCS200 Wide 15/16" Crown Stapler
- Pneumatic Lubricating Oil
- Safety glasses
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### WCS200 16Ga. Wide 15/16" Crown Stapler

**RELIABLE. DURABLE. POWERFUL.**

Tested and proven to reliably hold up to any application on most extreme jobsites. By using Paslode staples, you'll have fewer jams, fewer misfires and faster loading, only a Paslode stapling system can deliver.

<b>POWERFUL</b> 	<b>FAST</b> 	<b>DEPENDABLE</b> 
---------------------	-----------------	-----------------------

## ADVANTAGES

- **Lightweight:** only 5.9 lbs
- **Quick-Clear Nose:** For easy jam clearance
- **Quick Release Follower Tab:** Makes reloading fast
- **Staple Capacity:** Up to 150 staples
- **Staple Range:** 3/4" – 2"
- **Tool-free Adjustable Depth of Drive:** Easily adjust depth for consistency in any material

## SELECTION CHART

### 16 Gauge Wide Crown Staples

LENGTH	CROWN SIZE	STAPLE POINT	GAUGE	COATING	PRODUCT NUMBER	STAPLES PER PACK
7/8"	15/16"	Chisel	16	Galvanized	404069	9,000
1-1/2"	15/16"	Chisel	16	Galvanized	0T2855	10,500

## APPLICATIONS



- Soffits and Fascia Boards
- Subfloor
- Sheathing
- Crates and Pallets

## SPECIFICATIONS

**Part No. 515800**

Weight: 5.9 lbs

Height: 11.7"

Width: 3/4"

Length: 15.1"

Op. Pres. 80 to 120 p.s.i. (5.5 to 8.3 bars)

Staple Length: 3/4" – 2"

Staple Diameter: 16 gauge

**ONE-YEAR FULL WARRANTY** A one-year warranty will apply to all parts, except those which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all housing and cap assembly castings.

For full warranty details, visit <https://paslode.ca/warranty/>

# IMLi200 18 Gauge Brad Nailer

Lightweight and  
well balanced



## TOOL ACCESSORIES

- Part No. 902654C Lithium Ion 7.4v battery
- Part No. 902667C Lithium Ion Battery Charger
- Part No. 219236 3 Pack of No Mar Tips
- Part No. 219086 Degreaser Cleaner
- Part No. 401482 Impulse Oil
- Part No. 650039 Universal Trim Fuel Cell (4 pk)

## INCLUDES

- IMLi200 18 Ga Brad Nailer
- Rugged Carrying Case
- Rechargeable Battery with Charger
- Safety glasses
- Owner's manual

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### 18 Gauge Brad Nailer—

#### WE'VE GOT THE FACTS NAILED.

When you need precision in tight spaces, reach for the lightweight Paslode Cordless Finishing Nailing System. It gives great maneuverability to place the nail exactly where you want it wherever you're working: overhead, on ladders or on your knees. Our portable finish nailer, finish nails and fuel cells are designed to work in tandem so you get the job done right, right away

<b>POWERFUL</b> 	<b>PRECISE</b> 	<b>PRODUCTIVE</b> 	<b>PENNIES PER SHOT</b> 
---------------------	--------------------	-----------------------	-----------------------------

## ADVANTAGES

- Li-Ion for 50% more shots (12,000) per charge
- Quick charge to 80% in 30 minutes
- New battery standby position conserves charge
- New easier depth of drive thumbwheel
- New reversible belt hook
- 8% lighter – 4.5 lbs with battery (compared with Ni-Cad battery)

## SELECTION CHART

### 18 Gauge Fuel and Finish Nail Packs

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
1-1/2"	0.048	Chisel	18	Galvanized	FFP-118112	1,000
2"	0.048	Chisel	18	Galvanized	FFP-118002	1,000

See Page P 24 for additional finish nails that work with this tool.

## APPLICATIONS



- Crown and baseboard mouldings
- Panelling
- Carpentry

## SPECIFICATIONS

### Part No. 903700

- Weight: 4.5 lbs
- Height: 11-1/2"
- Length: 11"
- Nail Capacity: 100
- Nail Range: 5/8" – 2"
- Nail Type: 18 ga

**ONE-YEAR LIMITED WARRANTY** A one-year warranty will apply to all parts, except those listed below as normal wearing parts, or parts-which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all molded nylon parts:

- Motor Housing, Cap and Grille
- Handle Halves and Actuator
- Trigger
- Magazine Parts

**90-DAY LIMITED WARRANTY** A 90-day warranty applies to the following parts, which are considered normal wearing parts:

- Bumper
- Driver Blades
- O-Rings
- Seal Rings

For full warranty details, visit <https://paslode.ca/warranty/>



# IMLi200 18 Ga. Short Mag Brad Nailer

Made to Fit in Tight Spaces



## TOOL ACCESSORIES

- Part No. 902654C Lithium Ion 7.4v battery
- Part No. 902667C Lithium Ion Battery Charger
- Part No. 219236 3 Pack of No Mar Tips
- Part No. 219086 Degreaser Cleaner
- Part No. 401482 Impulse Oil
- Part No. 650039 Yellow Trim Fuel Cell (4 pk)

## INCLUDES

- IMLi200 18 Ga Short Mag Brad Nailer
- Rugged Carrying Case
- Rechargeable Battery with Charger
- Safety glasses
- Owner's manual

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### 18 Ga. Cordless Li-ion Brad Nailer - 1 Strip

**MANEUVERABLE. PRECISE. LIGHTWEIGHT.**

The NEW Paslode 18 Ga. Cordless Li-ion Brad Nailer is the ideal nailer for all of your trim projects. This tool has superior access to tight spaces so you are able to fasten in areas that aren't easily accessible. This consistent nailer makes your job easier than ever, driving each nail flush into all types of trim. Finally, weighing 4.25 lbs., this is the lightest Cordless Brad Nailer on the market.

**POWERFUL**



**PRECISE**



**PRODUCTIVE**



**PENNIES PER SHOT**



## ADVANTAGES

- 7.4-volt Li-ion battery drives up to 12,000 s/b nails per charge
- 1-1/2 hour full charge; 2-minute quick charge for up to 200 extra shots
- Battery stand-by position secures battery in off position to conserve battery power
- Reversible belt hook – Easily adjusts and keeps both hands free
- Tool free depth of drive is easy to adjust, even with gloves on

## SELECTION CHART

### 18 Gauge Fuel and Finish Nail Packs

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
1-1/2"	0.048	Chisel	18	Galvanized	FFP-118112	1,000
2"	0.048	Chisel	18	Galvanized	FFP-118002	1,000

See Page P 25 for additional finish nails that work with this tool.

## APPLICATIONS



- Window Castings
- Baseboards moldings
- Decorative trim

## SPECIFICATIONS

Part No. 918150

- Weight: 4.25 lbs
- Height: 11-1/2"
- Length: 11"
- Nail Capacity: 70

Nail Range: 5/8" – 2"

Nail Type: 18 ga

Warranty: 1-year limited

For full warranty details, visit <https://paslode.ca/warranty/>

# IMLi250 16 Gauge Finish Nailer

Lightweight and  
well balanced



## DESCRIPTION/SUGGESTED SPECIFICATIONS

### 16 Gauge Straight Cordless Finish Nailer— GREAT MANEUVERABILITY.

It gives great maneuverability to place the nail exactly where you want it wherever you're working: overhead, on ladders or on your knees. Our portable finish nailer, finish nails and fuel cells are designed to work in tandem so you get the job done right, right away.

#### POWERFUL



#### PRECISE



#### PRODUCTIVE



#### PENNIES PER SHOT



## ADVANTAGES

- Powerful precision – Finish right the first time.
- Li-ion Battery – Drives up to 12,000 nails per charge
- Lightweight – Only 4.6 pounds for added comfort and control
- Use Paslode Universal Trim Fuel – Drives approx. 1,000 nails
- Battery Standby Position – Conserves battery power
- 1 Hour Rapid Charger – 80% charge in 20 min

## SELECTION CHART

### 16 Gauge Fuel and Finish Nail Packs

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
1 1/2"	0.063	Chisel	16	Galvanized	FFP-116112	1,000
2"	0.063	Chisel	16	Galvanized	FFP-116002	1,000

See Page P 22 for additional finish nails that work with this tool.

## APPLICATIONS



- Door and window trim
- Casing
- Crown and baseboard moulding

## SPECIFICATIONS

### Part No. 903800

- Weight: 4.6 lbs
- Height: 11-3/4"
- Length: 10-1/2"
- Nail Capacity: 100
- Nail Range: 1" - 2-1/2"
- Nail Type: 16 ga Straight

**ONE-YEAR LIMITED WARRANTY** A one-year warranty will apply to all parts, except those listed below as normal wearing parts, or parts which are specifically covered by an extended warranty.

**FIVE-YEAR EXTENDED LIMITED WARRANTY** A five-year warranty will apply to all molded nylon parts:

- Motor Housing, Cap and Grille
- Handle Halves and Actuator
- Trigger
- Magazine Parts

**90-DAY LIMITED WARRANTY** A 90-day warranty applies to the following parts, which are considered normal wearing parts:

- Bumper
- Driver Blades
- O-Rings
- Seal Rings

For full warranty details, visit <https://paslode.ca/warranty/>

## TOOL ACCESSORIES

- Part No. 902654C Lithium Ion 7.4v battery
- Part No. 902667C Lithium Ion Battery Charger
- Part No. 219236 3 Pack of No Mar Tips
- Part No. 219086 Degreaser Cleaner
- Part No. 401482 Impulse Oil
- Part No. 650039 Universal Trim Fuel Cell (4 pk)

## INCLUDES

- IMLi250 16 Ga Straight Finish Nailer
- Rugged Carrying Case
- Rechargeable Battery with Charger
- Safety Glasses
- Owner's Manual

# T250S F16P 16 Gauge Finish Nailer

*Best in Class  
Ergonomics*



## DESCRIPTION/SUGGESTED SPECIFICATIONS

### T250S F16P – 16 Gauge Finish Nailer—

#### LIGHTWEIGHT. HIGH PERFORMANCE. LOW MAINTENANCE.

The Paslode 16 Ga. Pneumatic Finish Nailer has a best-in-class design that allows for comfort in all applications. This is a reliable and durable tool you can trust to keep up with you. The oil-free design allows for long term, maintenance-free operation which reduces cleanup time and associated costs.

#### LIGHTWEIGHT



#### DEPENDABLE



#### OIL FREE



## ADVANTAGES

- Best in class ergonomics – Designed with enhanced features to optimize balance, maximize comfort, reduce fatigue and increase productivity
- Reliability and durability – Proven performance that saves you time and can keep up with you
- Low maintenance – Oil-free design allows for long term, maintenance-free operation which reduces cleanup time and associated costs

## APPLICATIONS



Window and door trim/finish applications

Carpentry

Panelling

## INCLUDES

T250S F16P – 16 Gauge Finish Nailer  
1/4" air fitting  
Rugged Carrying Case  
Owner's Manual  
Safety Glasses

## SPECIFICATIONS

### Part No. 515500

Weight: 3.9 lbs  
Height: 11.6"  
Length: 12.3"  
Nail Capacity: 100 (2 strips)  
Nail Range: 1" – 2-1/2"

Magazine Angle: Straight Collation  
Nail Type: 16 Ga. (Smooth/Galvanized)  
Op. Pressure P.S.I (Bar): 80-120 p.s.i  
Warranty: 5 Year limited warranty  
For full warranty details, visit  
<https://paslode.ca/warranty/>

# 16 Gauge Straight Finish Nailer

## SELECTION CHART

### 16 Gauge Finish Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
1"	0.063	Chisel	16	Galvanized	095203	5,000
1-1/4"	0.063	Chisel	16	Galvanized	095205	5,000
1-1/2"	0.063	Chisel	16	Galvanized	095257	4,000
1-3/4"	0.063	Chisel	16	Galvanized	095435	2,500
2"	0.063	Chisel	16	Galvanized	095436	2,500
2-1/2"	0.063	Chisel	16	Galvanized	090025	2,500
MULTI	0.063	Chisel	16	Galvanized	116000	2,000
1"	0.063	Chisel	16	Galvanized	116001	1,000
1-1/4"	0.063	Chisel	16	Galvanized	116114	1,000
1-1/2"	0.063	Chisel	16	Galvanized	116112	1,000
1-3/4"	0.063	Chisel	16	Galvanized	116134	1,000
2"	0.063	Chisel	16	Galvanized	116002	1,000
2-1/4"	0.063	Chisel	16	Galvanized	400601	2,500
2-1/2"	0.063	Chisel	16	Galvanized	116025	1,000

- Approved for use in all pressure treated lumber such as ACQ and MCQ
- Polymer coating on nail head reduces staining and streaking by 80% compared to traditional hot dipped galvanized nails
- IRC R319.3 code approved for use in pressure treated lumber in accordance with ASTM A 153



### 16 GAUGE FINISH NAILS FOR USE WITH



T250S F16P – 16 GAUGE FINISH NAILER



IMLi250 – 16 GAUGE FINISH NAILER

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/  
Antifreeze



Part No. 650039  
Universal Trim Fuel Cell  
(4 Pk)

# P18-200 18 Gauge Brad Nailer

*Jobsite tough  
all metal housing  
and magazine*



SEE PAGE P 25 FOR  
18 GAUGE NAILS SELECTION CHART

## INCLUDES

- P18-200 18 Gauge Brad Nailer
- 3 no mar tips
- Air fitting
- Oil
- Safety glasses
- Allen wrenches

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### P18-200 18 Gauge Brad Nailer —

#### BUILT-IN SIGHT LINE ON HOUSING AND NOSE TO ENSURE ACCURATE NAILING.

Paslode driving power with the features contractors demand: depth of drive guide, dual action trigger, dry fire lockout, magazine gauge, easy jam clearing, no slip rubber handle, extra no mar tips and 360° adjustable exhaust. Actuation tip behind nose piece for clear view of work surface. Built-in sight line on housing and nose to ensure accurate nailing.

#### LIGHTWEIGHT



#### PRECISE



#### EASY ACCESS



## ADVANTAGES

- All metal housing & magazine
- Adjustable drive depth
- Bump & sequential fire switch
- Last nail lockout
- Quick-release nose
- 360° adjustable exhaust
- 5/8" to 2" nails

## APPLICATIONS

- Windows
- Doors
- Furniture
- Trim applications

## SPECIFICATIONS

#### Part No. P18-200

- Weight: 2.9 lbs
- Height: 9.5"
- Length: 10.25"
- Nail Capacity: 100
- Nail Range: 5/8" – 2"
- Magazine Angle: Straight

- Nail Type: 18 Gauge - Smooth, Galvanized
- OP. Pres. p.s.i. (bar): 80-120
- Warranty: 90-day limited on wear parts, 6-month limited on magazine parts, 1-year limited on housing and cap parts
- For full warranty details, visit <https://paslode.ca/warranty/>



# P18-FS200 18 Gauge Brad Nailer/ Stapler

*Paslode driving power with the features contractors demand*



SEE PAGE P 26 FOR  
18 GA. 1/4" CROWN STAPLES

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### **P18-FS200 18 Gauge Brad Nailer/Stapler —**

#### **BUILT-IN SIGHT LINE ON HOUSING AND NOSE TO ENSURE ACCURATE NAILING.**

Paslode driving power with the features contractors demand: depth of drive guide, dual action trigger, dry fire lockout, magazine gauge, easy jam clearing, no slip rubber handle, extra no mar tips and 360° adjustable exhaust. Actuation tip behind nose piece for clear view of work surface. Built-in sight line on housing and nose to ensure accurate nailing.

#### LIGHTWEIGHT



#### PRECISE



#### EASY ACCESS



## ADVANTAGES

- All metal housing & magazine
- Adjustable drive depth
- Bump & sequential fire switch
- Last nail lockout
- Quick-release nose
- 360° adjustable exhaust
- 5/8" to 2" Nails, 5/8" to 1-1/2" staples

## APPLICATIONS

- Windows
- Doors
- Furniture
- Trim applications

## SPECIFICATIONS

### Part No. P18-FS200

- Weight: 2.9 lbs
- Height: 9.5"
- Length: 10.25"
- Nail Capacity: 100
- Nail Range: 5/8" – 2" brad nails and 5/8" – 1-1/2" staples (1/4" crown)
- Magazine Angle: Straight

- Nail Type: 18 Gauge - Smooth, Galvanized Nails and 1/4" Crown Staples
- OP. Pres. p.s.i. (bar): 80-120
- Warranty: 90-day limited on wear parts, 6-month limited on magazine parts, 1-year limited on housing and cap parts.
- For full warranty details, visit <https://paslode.ca/warranty/>

## INCLUDES

- P18-FS200 18 Gauge Brad Nailer/Stapler
- 3 no mar tips
- Air fitting
- Oil
- Safety glasses
- Allen wrenches


# 18 Gauge Brad Nailers/Stapler

## SELECTION CHART

### 18 Gauge Finish Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
MULTI	0.048	Chisel	18	Galvanized	118000	2,000
1"	0.048	Chisel	18	Galvanized	118001	1,000
2"	0.048	Chisel	18	Galvanized	118002	1,000
3/4"	0.048	Chisel	18	Galvanized	118034	1,000
5/8"	0.048	Chisel	18	Galvanized	118058	1,000
1-1/2"	0.048	Chisel	18	Galvanized	118112	1,000
1-1/4"	0.048	Chisel	18	Galvanized	118114	1,000
1-3/4"	0.048	Chisel	18	Galvanized	118134	1,000
1"	0.048	Chisel	18	Galvanized	950001	3,000
2"	0.048	Chisel	18	Galvanized	950002	3,000
3/4"	0.048	Chisel	18	Galvanized	950034	6,000
1-1/2"	0.048	Chisel	18	Galvanized	950112	3,000
1-1/4"	0.048	Chisel	18	Galvanized	950114	3,000
1-3/4"	0.048	Chisel	18	Galvanized	950134	3,000

- Approved for use in all pressure treated lumber such as ACQ and MCQ
- Polymer coating on nail head reduces staining and streaking by 80% compared to traditional hot dipped galvanized nails
- IRC R319.3 code approved for use in pressure treated lumber in accordance with ASTM A 153



### 18 GAUGE FINISH NAILS FOR USE WITH



IMLI200 18 GA. SHORT MAG  
BRAD NAILER



IMLI200 – 18 GAUGE  
FINISH NAILER



P18-200 –  
18 GAUGE BRAD NAILER



P18-FS200 –  
18 GAUGE BRAD NAILER/STAPLER

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/  
Antifreeze



Part No. 650039  
Universal Trim Fuel Cell  
(4 Pk)

# N18-125 1-1/4" Narrow Soffit Stapler

**Adjustable Exhaust  
– Maintains a  
Cleaner Working  
Environment**



## INCLUDES

- N18-125 – 1-1/4" Narrow Soffit Stapler
- Safety glasses
- Carrying case
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### N18-125 – 1-1/4" Narrow Soffit Stapler—

**POWERFUL – MOTOR DRIVES INTO THE HARDEST OF WOODS.**

Precision pneumatic trim tools to do the job right. Whether you're a professional contractor or a "week-end" craftsman, the compact and durable. Lite Line series has the right tool for any trim or hobby application. Featuring the same rugged quality as our other heavy duty professional tools.

**POWERFUL**



**EASY ACCESS**



**PROFESSIONAL**



## ADVANTAGES

- Ergonomically Balanced and Lightweight – To reduce arm fatigue.
- Quick Clear Nose Piece – to reduce down time on the job if a jam should occur.
- Narrow Nose Piece – Allows the tool to fit into tight corners.
- Magnesium Metal Housing – Durable and provides longer tool life.

## SELECTION CHART

### 18 Gauge 1/4" Crown Staples

LENGTH	CROWN SIZE	STAPLE POINT	GAUGE	COATING	PRODUCT NUMBER	STAPLES PER PACK
1/2"	1/4"	Chisel	18	Galvanized	180121	1,000
3/4"	1/4"	Chisel	18	Galvanized	180341	1,000
1"	1/4"	Chisel	18	Galvanized	180011	1,000
1"	1/4"	Chisel	18	Galvanized	140015	5,000
1-1/4"	1/4"	Chisel	18	Galvanized	181141	1,000
1-1/4"	1/4"	Chisel	18	Galvanized	141145	5,000

• Code approved for use in pressure treated lumber in accordance with ASTM A 153

## APPLICATIONS



- Trim/Finish
- Plywood
- Soffits/facias
- Underlayment Applications

## SPECIFICATIONS

**Part No. N18-125**

Weight: 2.5 lbs

Height: 9"

Length: 9-1/4"

Nail Capacity: 100

Nail Range: 3/4" - 1-1/4"

Nail Type: GSN 18, 3/16 inch (1/4" crown)

OP. Pres. p.s.i. (bar): 80-120 (5.5-8.3)

Warranty: 90-day limited on wear parts,  
6-month limited on magazine parts,  
1-year limited on housing and cap parts.

For full warranty details, visit  
<https://paslode.ca/warranty/>

# 1-1/2" Narrow Crown Finish Stapler

**Ergonomically  
Balanced and  
Lightweight –  
To Reduce  
Arm Fatigue**



## INCLUDES

- N18-150 – 1-1/2" Narrow Crown Finish Stapler
- Safety glasses
- Carrying case
- Owner's manual

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## DESCRIPTION/SUGGESTED SPECIFICATIONS

### N18-150 - 1-1/2" Narrow Crown Finish Stapler—

#### POWERFUL – MOTOR DRIVES INTO THE HARDEST OF WOODS.

Precision pneumatic trim tools to do the job right. Whether you're a professional contractor or a "week-end" craftsman, the compact and durable. Lite Line series has the right tool for any trim or hobby application. Featuring the same rugged quality as our other heavy duty professional tools.

#### POWERFUL



#### PRECISE



#### PROFESSIONAL



## ADVANTAGES

- Adjustable Exhaust – Maintains a cleaner working environment.
- Quick Clear Nose Piece – to reduce down time on the job if a jam should occur.
- Narrow Nose Piece – Allows the tool to fit into tight corners.
- Magnesium Metal Housing – Durable and provides longer tool life.

## SELECTION CHART

### 18 Gauge 1/4" Crown Staples

LENGTH	CROWN SIZE	STAPLE POINT	GAUGE	COATING	PRODUCT NUMBER	STAPLES PER PACK
1/2"	1/4"	Chisel	18	Galvanized	180121	1,000
3/4"	1/4"	Chisel	18	Galvanized	180341	1,000
1"	1/4"	Chisel	18	Galvanized	180011	1,000
1"	1/4"	Chisel	18	Galvanized	140015	5,000
1 1/4"	1/4"	Chisel	18	Galvanized	181141	1,000
1 1/4"	1/4"	Chisel	18	Galvanized	141145	5,000
1 1/2"	1/4"	Chisel	18	Galvanized	141125	5,000

• Code approved for use in pressure treated lumber in accordance with ASTM A 153

## APPLICATIONS



- Trim/Finish
- Plywood
- Soffits/facias
- Underlayment Applications

## SPECIFICATIONS

#### Part No. N18-150

- Weight: 2.8 lbs
- Height: 9-3/4"
- Length: 11-1/2"
- Nail Capacity: 100
- Nail Range: 3/4" - 1-1/2"

Nail Type: GSN 18, 3/16 inch (1/4" crown)

OP. Pres. p.s.i. (bar): 80-120 (5.5-8.3)

Warranty: 90-day limited on wear parts, 6-month limited on magazine parts, 1-year limited on housing and cap parts.

For full warranty details, visit <https://paslode.ca/warranty/>

# US-100 Upholstery/ Craft Stapler

Easy-load  
Magazine



## DESCRIPTION/SUGGESTED SPECIFICATIONS

### US-100 Upholstery/Craft Stapler—

#### LONG NARROW NOSEPIECE FOR TIGHT SPOTS

Lightweight - At only 2 lbs this tool is very easy to handle and decreases operator fatigue. Heavy-duty driver blade.

FAST



PRECISE



QUICK LOAD



## ADVANTAGES

- Drives 3/8" - 9/16" upholstery staples.
- Fast - Shoots 5 staples per second

## SELECTION CHART

### 22 Gauge Upholstery Staples

LENGTH	CROWN SIZE	STAPLE POINT	GAUGE	COATING	PRODUCT NUMBER	STAPLES PER PACK
3/8"	3/8"	Chisel	22	Galvanized	422038	4,000

- Code approved for use in pressure treated lumber in accordance with ASTM A 153

## INCLUDES

US100 Upholstery/Craft Stapler

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## APPLICATIONS



- Upholstery
- Crafts
- Light paneling
- Home project applications

## SPECIFICATIONS

Part No. US-100

Weight: 2.8 lbs

Height: 9-1/2"

Length: 12-1/2"

Nail Capacity: 100

Nail Range: 3/8" - 9/16"

Nail Type: 22 Gauge Upholstery

OP. Pres. p.s.i. (bar): 80-120 (5.5-8.3)

Warranty: 90-day limited on wear parts,  
6-month limited on magazine parts,  
1-year limited on housing and cap parts.

For full warranty details, visit  
<https://paslode.ca/warranty/>

# HP100 Headless Pin Nailer

Compact  
lightweight  
design



## DESCRIPTION/SUGGESTED SPECIFICATIONS

### HP100 Headless Pin Nailer—

**COMPACT – LIGHTWEIGHT.**

Multi-directional exhaust port. Pin nails leave a very small hole for easy finishing and painting.



## ADVANTAGES

- Quick release nose piece
- Drives 1/2" to 1-1/2" pin nails

## SELECTION CHART

### 23 Gauge Pin Nails

LENGTH	SHANK DIAMETER	SHANK TYPE	GAUGE	COATING	PRODUCT NUMBER	NAILS PER PACK
1"	0.025	Chisel	23	Brite	323001	3,000
3/4"	0.025	Chisel	23	Brite	323034	3,000
1-1/2"	0.025	Chisel	23	Brite	323112	3,000
1-3/8"	0.025	Chisel	23	Brite	323138	3,000

• Code approved for use in pressure treated lumber in accordance with ASTM A 153

## APPLICATIONS



Fine woodworking and trim work

## INCLUDES

- HP100 Headless Pin Nailer
- Safety glasses
- Tool case
- Allen wrench and oil

## TOOL ACCESSORIES



Part No. 403720  
Pneumatic Oil



Part No. 219090  
Pneumatic Oil w/ Antifreeze

## SPECIFICATIONS

- Part No. HP100
- Weight: 1.2 lbs
- Height: 9-1/4"
- Length: 7-3/4"
- Nail Capacity: 100
- Nail Range: 1/2" - 1-1/2"
- Magazine Angle: Straight

- Nail Type: 23 Gauge - Smooth, Galvanized Pin Nails
- OP. Pres. p.s.i. (bar): 80-120
- Warranty: 90-day limited on wear parts, 6-month limited on magazine parts, 1-year limited on housing and cap parts.
- For full warranty details, visit <https://paslode.ca/warranty/>





## **National Headquarters**

120 Travail Road  
Markham, Ontario, L3S 3J1

Tel: 905-471-7403  
800-387-9692

Fax: 905-471-7208  
800-668-8688

## **Technical and Customer Service Support**

Tel: 800-387-9692

Fax: 800-668-8688

## **Regional Warehouses**

- Markham, Ontario
- Coquitlam, British Columbia
- Calgary, Alberta

Ramset, T4, T3, T3Cup, Trakfast, GypFast, Mastershot, Triggershot, Hammershot, PowerPoint, TE Pin and Climacoat are trademarks of Illinois Tool Works, Inc.

A7+, Dynabolt, G5, Hammer-Set, LDT, Multi-Set II, Poly Set, Red Head, Redi-Drive, S7, Striker, and Trubolt are trademarks of ITW Red Head and Illinois Tool Works, Inc.

Teks, TruGrip GT, Scots, Maxiseal, Dek-Cap, Tapcon, SG, Tapcon, Maxi-Set Tapcon, Condrive, E-Z Ancor, E-Z Toggle, Twist-N-Lock, E-Z Lite, E-Z Mini, Stud Solver, Hi-Lo, S-12, Backer-On, Rock-On, Decking, Dec-U-Drive, Dek-Cap, Grid-Mate, Grid-Mate, PB, Climaseal, Spex, Climacoat, UltraShield, Climashield and Building Ideas That Work are trademarks of ITW Buildex and Illinois Tool Works, Inc.

Sammys, Sammy X-Press, Sammy X-Press It, Sammy X-Press Swivel, Sammy X-Press Sidewinder, Tapcon, Sammy Saddle, Speedy Pole Tool, Spot-Rite Level, and Truss-T Hanger are trademarks of ITW Buildex and Illinois Tool Works, Inc.

The term "Paslode" is a trademark and the Paslode logo and all related product and service names, designs and slogans are Paslode trademarks. Paslode, RounDrive, Impulse, Positive Placement are registered trademarks, PowerFramer and quicklode are trademarks of Illinois Tool Works.

R4, RSS, Kameleon, Fin/Trim, RT Composite, Low Profile Cabinet, Pheinox, Top Star, VWS, Caliburn, and The GRK Fasteners Canada Ltd. and all associated designs and logos are trademarks of GRK Fasteners Canada Ltd., used under license.

Hilti is a registered trademark of Hilti, Corp.

DensGlass is a registered trademark of Georgia Pacific Building Products.

Dekstrip, Dektite, Retrofit Dektite, and Dektite are registered trademarks of Dek's Industries Pty Ltd.

Phillips Square-driv is a registered trademark of the Phillips Screw Company.

## **Take Advantage of these Contractor Services from ITW Construction Products Canada**

From job sites to engineering firms, from Safety Seminars to on-site services, we hope you take advantage of our many contractor services—at no charge! After all, it's one thing to offer the quality products you need to do your job. It's another to provide you with superior service, engineering expertise and total product support.


At ITW Construction Products Canada, we are proud of the partnerships we have built through the years with our distributor network and contractors. Thanks to quality products, innovative services and on-time delivery, we will continue to build new relationships and strengthen existing ones today... and into the next century.

- Factory representatives with years of training and service experience will go out to your job site to provide you with product, service and technical assistance.
- We provide architects and engineers with complete submittal packages which gives them the technical data needed to specify ITW Construction Products Canada products. Contact your ITW Construction Products Canada Distributor or your nearest Customer Service location to request submittal packages.

### **Technical Application Assistance:**

- Our staff of application specialists are ready to assist you with any type of application or code approval question during any phase of your project. Call 1-800-387-9692 between 8:00 a.m. and 5:00 p.m. EST, Monday through Friday.

### **Distributed By**



The information and recommendations in this document are based on the best information available to us at the time of preparation. We make no other warranty, expressed or implied, as to its correctness or completeness, or as to the results or reliance of this document.